Specifications



Faster output, faster delivery



- High-capacity 256MB RAM and HDD 160GB to support big file
- Maximum printing speed of 9m per minute (30feet/minute)
 Interface: High-speed USB, TCP/IP

- OS: Windows XP, Vista, Windows 2003, 7, 8, 10
- · S/W: Compose Rip S/W, Wasatch Rip S/W, Windows driver



High-resolution label printing

- Highly stable digital LED engine
- Resolution of 600 X 1200dpi through toner base



Prompt and convenient data processing

- Prints maximum 1.2m-long labels
- Prints labels with user-preferred colors based on the color Weight: 95kg management by RIP software
- · Convenient production of variable data such as barcodes, QR codes, and serial numbers (available option)
- · Sensor for black mark and printing on pre-cut label



General characteristics

- Unwinder system / Rewinder system (option)
- · Maximum diameter of installed media rolls: 370mm (14.5 inches)
- · Diameter of the core inside: 7.62cm (3 inches)
- · Automatic or manual cutting after printing
- Operating environment : Temperature 10°~32°, Humidity 20~80%
- Power supply: 220~240VAC, 50~60Hz, 4.5A
- · Power consumption: usual 600W, Maximum 1,300 W
- Dimension: 1180mm(L) X 480mm(W) X 600mm(H)

Effective and economical printing work

- Various materials can be supported (art papers, certified PP and PET) and thickness.
- · Capacity of toner cartridge: (5% coverage of A4 sized paper K-11,000 pages / CMY -11,500 pages
- · Capacity of Image Drums: 28,000 pages
- · Capacity of transfer belt/fuser unit: 60,000 pages

any-rewinder

oer)		
	Max roll width/weight	• 8.5 inches (215mm) / 10kg
	Max roll diameter	• 11.8inches (300mm)
	Rewinding speed	Max 9m/m (same as Printing speed)
		Normal rotation mode
	Function	Reverse rotation mode
		Counter function
	Power	• 220 V ~ 240V
	Dimension	• Net size : 490(L) X 550(W) X 450(H) mm
		26 kg
	Reference	It should be used with any-002 only





Make your color labels

fast — it's user-friendly!

with short runs affordable, compact and



VALLOY Incorporation www.anytronlabel.com

Room 1017, Daemyung Valeon 127 Beobwon-ro Songpa-gu Seoul 05836 Rep. of KOREA. Tel. +82 2 6082 5022. Fax. +82 2 445 5441 Email. support @ valloy.net



200-PM

Convenient Digital Color Label Press

Make your color labels with short runs affordable, compact and fast — it's user-friendly!

The Color label press any-002 can make 5,000 color labels within 2 hours

As the output is a maximum 9m per minute, it is possible to print out 5,000 labels within two hours. In addition, up to 200m can be printed out at one time and the setup for printing is unnecessary-therefore, immediate printing is possible.

No need for professional technicians

The operation of the equipment is easy and simple. Therefore, no professional technicians are necessary

for printing, which reduces labor costs. With a one-day education, anyone can easily become a label printing specialist.

Label printing, handily done in an office

any-002 does not require a large space. It can be installed in small spaces such as offices and can print out labels immediately whenever necessary.

Any label can be printed out at any time in a preferred quantity.

Upon the order of customers, continuous labels or pre-cut labels can be printed out immediately in required quantities. This minimizes unnecessary inventory costs and facilitates customer satisfaction through fast lead time.

Easy operation in handling label media

The automatic media guiding and media feeding system enables the customer to easily operate the printer regardless of the kind of label media.

Various materials can be supported

Labels are printed on various paper types such as art papers, certified PET and PP. Therefore, paper materials suited to customer needs can be used.

It provides a variety of printing functions. It supports the black mark sensor and gap sensor in printing with an accurate position. Also, back-sided printing is available by sensing the black mark on the opposite side of the label.

is now possible with anytron software.

Bigger roll media support

analogue equipment.

immediately.

The maximum roll diameter of the unwinder is 370mm. It enables label printing up to 500m without media change.

Work that was impossible with analogue equipment

any-002 uses its own software, and thereby conveniently

and speedily processes the tasks that were impossible with

The unique information that is entered into labels, such as

QR codes, barcodes, and numbering, can be printed out

Minimization of waste paper

In analog label printing, there is a large problem with wasting label stock, any-002 can save label media by automatic cutting before the end of the printing. (The average waste paper is less than 10cm using Anycomm software).

Low-risk investment, but high productivity

any-002 can get a better return on investment compared to other digital label machines. Therefore, the customers are relieved of the burden of investment costs.

High-quality labels can be produced at reasonable consumable costs

Using high-capacity toners and drums, high-resolution labels can be produced at reasonable prices. The printed labels maintain their quality for a long time as they have superior waterproofing and are less susceptible to the impact of external environments.



It ensures 0.2mm straightness

The robust web station makes thin, flexible label media advance straightly and in perfect

Automatic cutter and media feeding

Media cutting and feeding automatically begin after label printing.



Gap and front / black mark sensor

It can support pre-cut label and backside printing.



Color laser print engine with LED

The product is fitted with the latest laser engine that enables the printing of color



Counter system

The black mark sensor exactly senses the black mark on each label.



Unwinding system

(Max. roll diameter 370mm) It supports a high-capacity media and can print up to 500M.



Rewinding system (Max. roll diameter: 300mm)

Printed labels are easily rewound in an automatic mode. The media guide can support various media widths.



Counter LCD You can easily check.

Operation button

1. Rewinder ON / OFF mode

2. Normal / Reverse rotation mode