

Canon


CANON SOLUTIONS AMERICA

 CANON SEE IMPOSSIBLE



TOOLS CHANGE, ARTISANS REMAIN

Arizona series UV Flatbed Printers Overview



Arizona Series

SMART CHANGE STARTS HERE.

ARIZONA SERIES UV FLATBED PRINTERS

- Best-selling UV flatbed printer family in the world
- VariaDot imaging technology from Canon for near-photographic image quality
- True flatbed architecture with Roll Media Option
- Print on irregularly shaped objects, non-square media, or heavy substrates
- White ink and varnish available on select models
- Unparalleled opportunity to innovate your business

HIGHER VOLUME

ARIZONA 6100 SERIES

SPEEDS UP TO 1,668 FT.²/HR.

Arizona 6160 XTS/HFV printers

Arizona 6170 XTS/HFV printers

MID-VOLUME

ARIZONA 2200 SERIES

SPEEDS UP TO 691 FT.²/HR.

Arizona 2260 XT/GT printers

Arizona 2280 XT/GT printers

ARIZONA 1300 SERIES

SPEEDS UP TO 568.3 FT.²/HR.

Arizona 1340 XT/GT printers

Arizona 1360 XT/GT printers

Arizona 1380 XT/GT printers

ARIZONA 1200 SERIES

SPEEDS UP TO 377 FT.²/HR.

Arizona 1240 XT/GT printers

Arizona 1260 XT/GT printers

Arizona 1280 XT/GT printers

ARIZONA 365 GT PRINTER

SPEEDS UP TO 377 FT.²/HR.

Arizona 365 GT printer




LOWER VOLUME

ARIZONA 318 GL PRINTER

SPEEDS UP TO 194 FT.²/HR.




Arizona 318 GL printer

All print speeds based on express print speed.

TABLE SIZE, PRODUCTION LEVEL	EXTRA LARGE TABLE, HIGH-VOLUME PRODUCTION	EXTRA LARGE TABLE, HIGH-VOLUME PRODUCTION	STANDARD TABLE, HIGH-VOLUME PRODUCTION
			
AVAILABLE MODELS	ARIZONA 6160 XTS PRINTER with 6 ink channels	ARIZONA 2260 XT PRINTER with 6 ink channels, upgradeable to...	ARIZONA 2260 GT PRINTER with 6 ink channels, upgradeable to...
	ARIZONA 6170 XTS PRINTER with 7 ink channels	ARIZONA 2280 XT PRINTER with 8 ink channels	ARIZONA 2280 GT PRINTER with 8 ink channels
	ARIZONA 6160 HFV PRINTER with 6 ink channels		
	ARIZONA 6170 HFV PRINTER with 7 ink channels		
Rigid media size	98.4" x 120" (98.4" x 126" HFV models)	98.4" x 121.3"	49" x 98.4"
Rigid media thickness	2" (1" on HFV models)	2"	2"
VariaDot printing technology	6 to 42 picoliter droplets, 636 nozzles, 6 printheads/color, dual row design	6 to 42 picoliter droplets, 636 nozzles, 2 printheads/color, dual row design	6 to 42 picoliter droplets, 636 nozzles, 2 printheads/color, dual row design
White ink capability	Standard on Arizona 6170 printers	Standard on Arizona 2260 XT and Arizona 2280 XT printers	Standard on Arizona 2260 GT and Arizona 2280 GT printers
Varnish capability	Not available	Standard on Arizona 2260 XT and Arizona 2280 XT printers	Standard on Arizona 2260 GT and Arizona 2280 GT printers
CM2 capability	Not available	Available option to add light cyan and light magenta on Arizona 2260 XT and Arizona 2280 XT printers	Available option to add light cyan and light magenta on Arizona 2260 GT and Arizona 2280 GT printers
PRINT MEDIA AND SPEEDS*			
Express print speed	1,668 ft. ² /hr.	691 ft. ² /hr.	620 ft. ² /hr.
Production—Squared (CM2)	Not available	514 ft. ² /hr.	473 ft. ² /hr.
Production print speed	1,076 ft. ² /hr.	427 ft. ² /hr., except CM2 configurations	395 ft. ² /hr., except CM2 configurations
Quality—Squared (CM2)	Not available	Not available	Not available
Quality print speed	775 ft. ² /hr.	297 ft. ² /hr.	280 ft. ² /hr.
Fine Art print speed	Not available	235 ft. ² /hr.	226 ft. ² /hr.
High Definition print speed	Not available	131 ft. ² /hr.	119 ft. ² /hr.
UV curing technology	497 mm, high output/low heat UV arc lamp with integrated shutter/reflector	171 mm, high output/low heat UV arc lamp with integrated shutter/reflector	171 mm, high output/low heat UV arc lamp with integrated shutter/reflector
Roll Media Option (RMO)	Not available	Available option, up to 86.6"	Available option, up to 86.6"

*Quoted print speeds are based on print time from first to last pixel printed utilizing maximum image area. Specifications subject to change without notice.



TABLE SIZE, PRODUCTION LEVEL	EXTRA LARGE TABLE, MID-VOLUME PRODUCTION	EXTRA LARGE TABLE, MID-VOLUME PRODUCTION	STANDARD TABLE, MID-VOLUME PRODUCTION
			
AVAILABLE MODELS	ARIZONA 1340 XT PRINTER with 4 ink channels	ARIZONA 1340 GT PRINTER with 4 ink channels	ARIZONA 1240 XT PRINTER with 4 ink channels, upgradeable to...
	ARIZONA 1360 XT PRINTER with 6 ink channels	ARIZONA 1360 GT PRINTER with 6 ink channels	ARIZONA 1260 XT PRINTER with 6 ink channels, upgradeable to...
	ARIZONA 1380 XT PRINTER with 8 ink channels	ARIZONA 1380 GT PRINTER with 8 ink channels	ARIZONA 1280 XT PRINTER with 8 ink channels
Rigid media size	98.4" x 121.3"	49.2" x 98.4"	98.4" x 121.3"
Rigid media thickness	2"	2"	2"
VariaDot printing technology	Yes	Yes	6 to 42 picoliter droplets, 636 nozzles, 1 printhead/channel, dual row design
White ink capability	Standard on Arizona 1360 XT and Arizona 1380 XT printers	Standard on Arizona 1360 GT and Arizona 1380 GT printers	Standard on Arizona 1260 XT and Arizona 1280 XT printers
Varnish capability	Standard on Arizona 1360 XT and Arizona 1380 XT printers	Standard on Arizona 1360 GT and Arizona 1380 GT printers	Standard on Arizona 1260 XT and Arizona 1280 XT printers
CM2 capability	Not available	Not available	Available option to add light cyan and light magenta on Arizona 1260 XT and Arizona 1280 XT printers
PRINT MEDIA AND SPEEDS*			
Express print speed	380 ft. ² /hr. (High key 568.3 ft. ² /hr.)	368.1 ft. ² /hr. (High key 547.9 ft. ² /hr.)	377 ft. ² /hr.
Production—Squared (CM2)	Not available	Not available	280 ft. ² /hr., 1260 XT and 1280 XT only
Production print speed	229.3 ft. ² /hr.	223.9 ft. ² /hr.	227 ft. ² /hr., except CM2 configurations
Quality—Squared (CM2)	Not available	Not available	Not available
Quality print speed	161.5 ft. ² /hr.	157.2 ft. ² /hr.	157 ft. ² /hr.
Fine Art print speed	128.1 ft. ² /hr.	125.9 ft. ² /hr.	128 ft. ² /hr.
High Definition print speed	68.9 ft. ² /hr.	66.7 ft. ² /hr.	66 ft. ² /hr.
UV curing technology	LED	LED	110 mm, high output/low heat UV arc lamp with integrated shutter/reflector
Roll Media Option (RMO)	Available option, up to 86.6"	Available option, up to 86.6"	Available option, up to 86.6"

*Quoted print speeds are based on print time from first to last pixel printed utilizing maximum image area. Specifications subject to change without notice.



TABLE SIZE, PRODUCTION LEVEL	STANDARD TABLE, MID-VOLUME PRODUCTION UPGRADE PATH	STANDARD TABLE, MID-VOLUME PRODUCTION	STANDARD TABLE, LOW-VOLUME PRODUCTION
---------------------------------	-------------------------------------------------------	------------------------------------------	------------------------------------------



AVAILABLE MODELS	ARIZONA 1240 GT PRINTER with 4 ink channels, upgradeable to... ARIZONA 1260 GT PRINTER with 6 ink channels, upgradeable to... ARIZONA 1280 GT PRINTER with 8 ink channels	ARIZONA 365 GT PRINTER	ARIZONA 318 GL PRINTER
Rigid media size	49" x 98.4"	49" x 98.4"	49" x 98.4"
Rigid media thickness	2"	1.89"	1.89"
VariaDot printing technology	6 to 42 picoliter droplets, 636 nozzles, 1 printhead/channel, dual row design	6 to 42 picoliter droplets, 318 nozzles, 2 printheads/channel, single row design	6 to 42 picoliter droplets, 318 nozzles, 1 printhead/channel, single row design
White ink capability	Standard on Arizona 1260 GT and Arizona 1280 GT printers	Standard on Arizona 365 GT printer	Available option (factory only)
Varnish capability	Standard on Arizona 1260 GT and Arizona 1280 GT printers	Not available	Not available
CM2 capability	Available option to add light cyan and light magenta on Arizona 1260 GT and Arizona 1280 GT printers	Not available	Not available

PRINT MEDIA AND SPEEDS*

Express print speed	362 ft. ² /hr.	377 ft. ² /hr.	194 ft. ² /hr.
Production—Squared (CM2)	270 ft. ² /hr., 1260 GT and 1280 GT only	Not available	Not available
Production print speed	220 ft. ² /hr., except CM2 configurations	239 ft. ² /hr.	131 ft. ² /hr.
Quality—Squared (CM2)	Not available	Not available	Not available
Quality print speed	153 ft. ² /hr.	165 ft. ² /hr.	90 ft. ² /hr.
Fine Art print speed	125 ft. ² /hr.	135 ft. ² /hr.	68 ft. ² /hr.
High Definition print speed	64 ft. ² /hr.	71 ft. ² /hr.	Not available
UV curing technology	110 mm, high output/low heat UV arc lamp with integrated shutter/reflector	110 mm, high output/low heat UV arc lamp with integrated shutter/reflector	110 mm, high output/low heat UV arc lamp with integrated shutter/reflector
Roll Media Option (RMO)	Available option, up to 86.6"	Available option, up to 86.6"	Available option, up to 86.6"

WHY CANON SOLUTIONS AMERICA.

Canon Solutions America recommends forward-thinking strategies to help achieve the highest levels of information management efficiency for your unique business needs. Using superior technology and innovative services, we then design, implement, and track solutions that help improve information flow throughout your organization while considering the environment, helping to result in greater productivity and reduced costs.

There are many reasons why you should choose Canon Solutions America as your provider for document management solutions. Benefits include:

- A Canon U.S.A. Company
- Business Services
- Professional Services
- Global Monitoring Capabilities
- Certified Training and Support
- Flexible Finance Options
- Single-Source Solutions Provider
- Managed Document Services
- Nationwide Coverage
- Customized Industry Solutions
- Genuine Canon Parts and Supplies
- Diverse Range of Input-to-Output Technology

But that's not all. As a company that is dedicated to your needs, we support our solutions with highly skilled professionals and advanced diagnostic systems to maintain peak performance. And with ongoing consultation, we can further your document management capabilities to help ensure the highest level of satisfaction and productivity.



CANON SOLUTIONS AMERICA

Large Format Solutions

100 Park Blvd., Itasca, IL 60143

1-800-842-4534 | 1-630-250-6551

us.info@csa.canon.com **CSA.CANON.COM**